



MT473 Voltage Tester


The MT473 is a 2-Pole voltage, continuity and phase tester with rapid LED indication of voltage levels. The voltage range is from 12V to 1000V AC/DC on LED indication. When AC/DC Voltage is detected the meter has three ways to indicate the voltage, by LED visual display, sound and vibration when the load buttons are pressed. The vibration operates similar to traditional solenoid type voltage testers and meets IEC1010-1 CAT IV 600V safety requirements. The MT473 has a rotary field detection for testing 3-Phase systems as well as a single pole Phase Test. Other features include a built-in flashlight, Continuity Buzzer. Diode Test. High Quality heavy duty molded IP64 case, a thicker cord with wear indicator and well fitted and durable probe protector.



Features

- LED Indication to 12V to 1000V AC/DC
- Fixed impedance -200kΩ (≤ 3,5mA@1000V)
- Switchable load by 2 pushbuttons (30mA@230V)
- Vibration during load
- Rotary field direction
- Flash light
- 4mm probe tip thickness

Function	Range	Accuracy
DC Voltage	12V to 1000V	±(3.0% +5)
AC Voltage	12V to 1000V	±(3.0% +5)
Rotary field	100V - 400V	
RCD Test	30mA@230V	
Resistance	0-1999Ω	
Continuity resolution	≤400kΩ	
AC Bandwidth	50/60Hz	
Low Input impedance	<6kΩ	
Size	240 x 78 x 30mm	
Weight	237g	



1000V AC/DC



Rotary Field Indication, Continuity & Low Impedance



4mm Screw on Probe Tip Extension



LED Flashlight



MT473 | 1000V Voltage Tester

Contact Us
South Africa

www.major-tech.com sales@major-tech.com

Australia

www.major-tech.com.au info@major-tech.com.au