

# EVlink Charging cable 7m 32A 1-Phase T2-T1 IEC EV accessory

EVP1CNL32121

#### Main

| Range                                 | EVlink               |
|---------------------------------------|----------------------|
| Product Or Component Type             | Charging cable       |
| Accessory / Separate Part<br>Category | Cabling accessory    |
| Network Number Of Phases              | Single phase         |
| Poles Description                     | 1P + N               |
| [In] Rated Current                    | 32 A                 |
| [Us] Rated Supply Voltage             | 220240 V AC 50/60 Hz |
| Socket Number                         | 2                    |

## Complementary

| Plug Type              | T1 / silver plated contacts charging station end  |
|------------------------|---|
| Connector Type         | T2 charging station end silver plated contacts T1 vehicle end silver plated contacts  |
| Range Compatibility    | EVlink EVlink parking EVF1 charging station EVlink EVlink parking EVW1 charging station EVlink EVlink parking EVF2 charging station EVlink EVlink parking EVW2 charging station EVlink EVlink Smart Wallbox EVB1 charging station EVlink EVlink Wallbox EVH2 charging station |
| Standards              | IEC 62196-1<br>IEC 62196-2  |
| Product Certifications | CE  |
| Length                 | 7 m   |
| Net Weight             | 3 kg  |
| Colour                 | Grey  |

#### **Environment**

| Ip Degree Of Protection               | IP44 conforming to IEC 60529 |  |
|---------------------------------------|------------------------------|--|
| Ik Degree Of Protection               | IK10 conforming to IEC 62262 |  |
| Ambient Air Temperature For Operation | -3050 °C                     |  |
| Ambient Air Temperature For Storage   | -4080 °C                     |  |
| Relative Humidity                     | 595 %                        |  |

#### **Packing Units**

Unit Type Of Package 1 PCE

| Number Of Units In Package 1 | 1         |
|------------------------------|-----------|
| Package 1 Height             | 9.000 cm  |
| Package 1 Width              | 34.000 cm |
| Package 1 Length             | 38.000 cm |
| Package 1 Weight             | 3.003 kg  |
| Unit Type Of Package 2       | S04       |
| Number Of Units In Package 2 | 3         |
| Package 2 Height             | 30.000 cm |
| Package 2 Width              | 40.000 cm |
| Package 2 Length             | 60.000 cm |
| Package 2 Weight             | 9.897 kg  |
| Unit Type Of Package 3       | P06       |
| Number Of Units In Package 3 | 12        |
| Package 3 Height             | 75.000 cm |
| Package 3 Width              | 60.000 cm |
| Package 3 Length             | 80.000 cm |
| Package 3 Weight             | 39.588 kg |

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

## Well-being performance

| Mercury Free               |   |
|----------------------------|---|
| Rohs Exemption Information | Yes   |
|                            |   |
| Reach Regulation           | REACh Declaration   |
| Eu Rohs Directive          | Compliant EU RoHS Declaration   |
| China Rohs Regulation      | China RoHS declaration  Product out of China RoHS scope. Substance declaration for your information |